



Presentant Certinolis

**上市湾在除**床

# **Scientific and Technical Information Center**

Patent Intranet > NPL Virtual Library > Request a Prior Art Search Patents Home | Site Feedback |NPL Home | STIC Catalog | Site Guide | EIC | Automation Training/ITRPs | Contact Us | STIC Staff | FAQ | Firewall Authentication



Request a Prior Art Search

Search requests relating to published applications, patent families, and litigation may be submitted by filling out this form and clicking on "Send."

For all other search requests, fill out the form, print, and submit the printout with any attachments to the STIC facility serving your Technology Center.

## **Tech Center:**

⊚	TC 1600	O TC 1700	O TC 2100	O TC 2600
0	TC 2800	O TC 3600	O TC 3700	O Other

# **Enter your Contact Information below:**

Name: Everett White		
Employee Number: 67057	Phone: 571-272-0660	
Art Unit or Office: 1623	Building & Room Number:	REM 5D24
Enter the case serial number (Real If not related to a patent application, plea		
Class / Subclass(es) 514 / 54		
Earliest Priority Filing Date: July	16, 2003	
Format preferred for results:  ☐ Paper ☐ Diskette ☐ E	i-mail	

#### Provide detailed information on your search topic:

- In your own words, describe in detail the concepts or subjects you want us to search.
- Include synonyms, keywords, and acronyms. Define terms that have special meanings.
- \*For Chemical Structure Searches Only\* Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers
- \*For Sequence Searches Only\* Include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

- \*For Foreign Patent Family Searches Only\* Include the country name and patent number.
- Provide examples or give us relevant citations, authors, etc., if known.
- FAX or send the abstract, pertinent claims (not all of the claims), drawings, or chemical structures to your EIC or branch library.

Enter your Search Topic Information below:

Please search the composition of Claims 1-20; the method for the treatment and/or prevention of damaged articular cartilage of a diathrodial joint in man or in animals of Claims 21-28; a method for the treatment and/or prevention of a damaged synovial membrane, traumatic synovitis, in man or in animals of Claims 29-36.

A copy of the claims and abstract has been provided.

A copy of the file wrapper comprising the inventor name is also provided.

# **Special Instructions and Other Comments:**

(For fastest service, let us know the best times to contact you, in case the searcher needs further clarification on your search.)

olarineadori eri year eedi erii,												
Daily	from	1:00	to	6:00								
											·	
(												1863

Press ALT + F, then P to print this screen for your own information.



USPTO Intranet Home | Index | | Resources | Contacts | Internet | Search | Web Services

Last Modified: 12/05/2003 15:08:46

earch/IPE Copy

TERNA CALAL.

ENIMIS 03/32555

.*	25%	elebración de tilebrio							
APPL NUM	FILING DA	_ 1	SUBCLASS G	1 4. 4	EXAMINER				
PCT/US03/3255	5 16 OCT 20	5 4	160	23 N	MIC, E.				
**APPLICANTS: FRANK MARCUM;									
**PRIORITY CL US60419009 10 US60487861 10	OCT 2002								
**AGENTS: J.W. DVM SEA STOCKWELL 6 861 CORPORA SUITE 201 LEXINGTON K UNITED STAT	A ASSOCIATES TE DRIVE Y 40503 ES				Teu No EEE				
AS STAT FILED COUN		SHEETS DRWGS.	TOTAL CLAIMS	INDEP. CLAIMS	FILING FEE RECEIVED				
Foreign priority clair 35 USC 119 conditi Verified and Acknow	ons met	□ yes 0 □ yes 0 's intials			ATTORNEY DOCKET NO 1177-001 PCT				

TITLE: TREATMENT FOR TRAUMATIC SYNOVITIS DAMAGED ARTICULAR CARTILAGE

# Chapter II US Designation

# Abstract of the Invention

The invention provides compositions useful for the treatment and/or prevention of damage to diarthrodial (synovial) joints and, in particular, traumatic synovitis, inflammation of the synovial membrane, and damage to the articular cartilage of the joint. Specifically, provided are compositions specially formulated for intra-articular and/or parenteral use in the treatment and/or prevention of traumaticsynovitis and/or damage to articular cartilage.

Compositions adapted specifically for post surgical joint lavage or treatment and/or prevention of inflammatory arthritis, osteoarthritis (OA) and/or degenerative joint disease (DJD) are also provided. Compositions adapted for intra-articular and/or systemic administration comprised of therapeutic amounts of: chondroitin sulfate; N-acetyl D-glucosamine; andhyaluronan (hyaluronic acid) are provided.

## What is claimed is:

- 1. A composition for the treatment and/or prevention of damaged articular cartilage of a diarthrodial joint in man or in animals, the composition comprising therapeutic amounts of: chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.
- 2. The composition of claim 1, wherein the therapeutic amount of chondroitin sulfate comprises from between about 0.5 grams to about 1.5 grams of a suitable chondroitin sulfate per unit dose of the composition.
- 3. The composition of claim 2, wherein the suitable chondroitin sulfate is CS4 chondroitin sulfate.
- 4. The composition of claim 2, wherein the suitable chondroitin sulfate is CS6 chondroitin sulfate.
- 5. The composition of claim 2, wherein the suitable chondroitin sulfate is a mixture of CS4 chondroitin sulfate and CS6 chondroitin sulfate.
- 6. The composition of claim 1, wherein the therapeutic amount of N acetyl D-glucosamine is from about 0.5 grams to about 1.5 grams of N acetyl D-glucosamine per unit dose of the composition.
- 7. The composition of claim 1, wherein the therapeutic amount of hyaluronan is from about 10 mg to about 50 mg of hyaluronan per unit dose of the composition.
  - 8. The composition of claim 1 as a sterile solution.

- 9. The composition of claim 1 as a sterile suspension.
- 10. A composition for the treatment and/or prevention of damaged articular cartilage of a diarthrodial joint in man or in animals, the composition consisting essentially of therapeutic amounts of: chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.
- 11. A composition adapted for the treatment and/or prevention of traumatic synovitis in man or in animals, the composition comprising therapeutic amounts of: chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.
- 12. The composition in claim 11 is wherein the therapeutic amount of chondroitin sulfate comprises from between about 0.5 grams to about 1.5 grams of a suitable chondroitin sulfate per unit dose of the composition.
- 13. The composition of claim 12, wherein the suitable chondroitin sulfate is CS4 chondroitin sulfate.
- 14. The composition of claim 12, wherein the suitable chondroitin sulfate is CS6 chondroitin sulfate.
- 15. The composition of claim 12, wherein the suitable chondroitin sulfate is a mixture of CS4 chondroitin sulfate and CS6 chondroitin sulfate.
- 16. The composition of claim 11, wherein the therapeutic amount of N acetyl D-glucosamine is from about 0.5 grams to about 1.5 grams of N acetyl D-glucosamine per unit dose of the composition.

- 17. The composition of claim 11, wherein the therapeutic amount of hyaluronan is from about 10 mg to about 50 mg of hyaluronan per unit dose of the composition.
  - 18. The composition of claim 11 as a sterile solution.
  - 19. The composition of claim 11 as a sterile suspension.
- 20. A composition adapted for the treatment and/or prevention of traumatic synovitis in man or in animals, the composition consisting essentially of therapeutic amounts of: chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.
- 21. A method for the treatment and/or prevention of damaged articular cartilage of a diarthrodial joint in man or in animals, comprising administering a therapeutic amount of a composition comprised of chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.
- 22. The method in claim 21, wherein the therapeutic composition is administered intra-articular.
- 23. The method in claim 21, wherein the therapeutic composition is administered intramuscularly.
- 24. The method in claim 21, wherein the therapeutic composition is administered intravenously.
- 25. A method for the treatment and/or prevention of damaged articular cartilage of a diarthrodial joint in man or in animals, comprising administering a

therapeutic amount of a composition consisting essentially of chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.

- 26. The method in claim 25, wherein the therapeutic composition is administered intra-articular.
- 27. The method in claim 25, wherein the therapeutic composition is administered intramuscularly.
- 28. The method in claim 25, wherein the therapeutic composition is administered intravenously.
- 29. A method for the treatment and/or prevention of a damaged synovial membrane, traumatic synovitis, in man or in animals, comprising administering a therapeutic amount of a composition comprised of chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.
- 30. The method in claim 29, wherein the therapeutic composition is administered intra-articular.
- 31. The method in claim 29, wherein the therapeutic composition is administered intramuscularly.
- 32. The method in claim 29, wherein the therapeutic composition is administered intravenously.
- 33. A method for the treatment and/or prevention of damaged synovial membrane, traumatic synovitis, in man or in animals, comprising administering a

therapeutic amount of a composition consisting essentially of chondroitin sulfate; N-acetyl D-glucosamine; and hyaluronan.

- 34. The method in claim 33, wherein the therapeutic composition is administered intra-articular.
- 35. The method in claim 33, wherein the therapeutic composition is administered intramuscularly.
- 36. The method in claim 33, wherein the therapeutic composition is administered intravenously.